



**PROBIOTICS AS A GUARDIANS OF GUT HEALTH AND GATEKEEPERS
OF DISEASE PREVENTION**

Muhammad Mutahir¹, Professor Dr. Nighat Bhatti², Khalid Aziz³

¹Department of Human Nutrition and Dietetics, The Superior University, Lahore

²Department of Human Nutrition and Dietetics, Riphah International University, Faisalabad Campus

³ M.Sc (Hons) Human Nutrition and Dietetics, National Institute of Food Science and Technology,
Faculty of Food Nutrition and Home Sciences, University of Agriculture Faisalabad

ARTICLE INFO:

Keywords:

probiotics, gut microbial,
immune system, health
benefits, Therapeutic
application

Corresponding Author:

Muhammad Mutahir,
Department of Human
Nutrition and Dietetics, The
Superior University, Lahore

Article History:

Published on 23 September 2025

ABSTRACT

Probiotics are microorganisms, when administered in adequate amounts, provide significant health benefits to the host. Historically, ancient civilizations such as those in Egypt and India consumed probiotic-rich fermented dairy products like yogurt without understanding the microbial processes behind fermentation. Since their discovery, they have captured the interest of scientists due to their broad potential in supporting human health and disease prevention. Their influence extends across several systems. For examples they balance gut microbiota, and contribute to the integrity of the gut lining, enhance immune responses, inhibit the growth of harmful pathogens, and aid in nutrient synthesis. Modern research continues to uncover their role in managing various health conditions, including inflammatory bowel diseases, allergic disorders, metabolic imbalances, and even certain neurological and behavioral issues. Despite notable advancements, challenges remain in fully harnessing probiotics' clinical potential. One key obstacle is the strain-specific nature of their effects. Addressing this complexity is essential for optimizing their therapeutic application. This review highlights the crucial role of probiotics as both protectors of gut health and preventive agents against a range of diseases, while also underscoring the need for continued investigation into their targeted, strain-specific functions.

INTRODUCTION

Probiotics are microorganisms when administered in moderate amount and in correct route of administration cause benefits to the host organisms (Amara & Shibl 2015)(Iqbal et al. 2014), but when used in high quantity may be harmful to host organisms. According to food and agricultural organization and world health organization probiotics has got attention because of its benefits to human beings and other organisms. Probiotic organisms belong to *Lactobacillus*, *Bifidobacterium*, *Saccharomyces*, and some other genera and yeast (Vinderola et al. 2017). These microorganism species usually live in different tissue of the human body, especially in gastrointestinal tract. These species helps in the maintenance the gastrointestinal micro biota (Bezkorovainy 2018), helps in digestion process and immune system responses (Stavropoulou & Bezirtzoglou 2020).

The basic benefits of the probiotics is the capability to restore and keep the gastrointestinal micro biota in average amount, if the balance of the micro biota disturbs a disease develops which is known as Dysbiosis which system includes irritable bowel syndrome, allergies, obesity, and some the chances of the diseases(Su et al. 2020); moreover probiotics also have immunomodulatory effects, probiotics increases the innate and adaptive immunity responses by regulating the production of cytokine a chemical regulator, promoting the activity of ,macrophages, and natural killer cells and help in the maturation of regulatory T cell (Ganjbakhsh 2017). All these components works in cooperation manner to create response against pathogens, reduces the inflammation during response and also involved in the prevention of the autoimmune diseases (Yousefi et al. 2019).

Probiotics are also involved in protection against pathogens through competition with pathogen in gastrointestinal tract by producing

antimicrobial substances, and by strengthening the mucosal layer of the gastrointestinal tract. Probiotics also have been used for the decreasing the severity of the diarrhea and respiratory disease, beyond the protection from gastrointestinal diseases and immunity component completion experiments also highlighted that probiotics also beneficial to digestive system, and nervous system, due to gut brain close connection. Probiotics are used in diary items, and therapeutic regime to enhance human health (Araújo et al. 2020).

History of the probiotics

The ancient peoples of the Egypt India were using the probiotics in the form of yogurt or other dairy products, but did not know the fermentation causative agents (Gogineni 2013). They did know the fermentation is beneficial to human being. In 1905 stamen grigorov a discovered the *Lactobacillus* in yogurt (Ummah 2019). 1907 Elie Metchnikoff give statement that lactic acid bacteria can increase life, this hypothesis gave the birth to modern probiotic. In 1910-1930 scientist isolated the bacteria which help in the fermentation of the yogurt, in 1953 the term probiotics was coined by Werner Kollath (Ebner et al. 2014)(Brzozowski), initially it was believed that these substances help in growth of the microorganism, in 1965 on other definition was given ,which was that probiotics are the microorganism which in enhance the growth of the other microorganism.in 2001 another more commonly accepted definition was given by world health organization : probiotics are the microorganism when administered into the host body in limited level cause the benefits to the living host.

Review of the literature

Probiotics are living microbes usually bacteria that, when entered in the body of living organisms in moderate amounts, cause positive effects on health of the host(Reid et al. 2019).

These probiotic microorganisms are mixed with different items, which include foods, dietary items (Jankovic et al. 2010)(Tripathi &

Giri 2014). The usage of fermented foods goes back hundred and thousands of years, with various cultured forms for their benefits without knowing the detail about of microorganism (Tamime 2002). In early 20th century aureate Élie Metchnikoff found that Bulgarian formers were using to consume fermented milk had increased longevity. Metchnikoff concluded that some bacteria in fermented could abolish baneful gut microbes, increasing health and life of the consumer of the probiotics (Podolsky 2012)(Anukam & Reid 2008). This was main observation and invention of the probiotics which cause the foundation the current scientific usage of the probiotics.

Types of the probiotics on the basis of the species

Lactobacillus species

The most common species which is used as probiotics, this bacteria is gram positive having facultative anaerobic condition for respiration (Kullar et al. 2023), found the human gut and vaginal tissues (Kullar et al. 2023). These bacteria are also involved in fermentation of yogurt, etc (Ng et al. 2011). These bacteria have the capability the digestion of lactose sugar, inhibit the other bacteria (pathogen) by producing lactic acid, and increase the immune system, when any inflammation reactions occur and these bacteria reduce the response of the inflammation. *Lactobacillus species* produce by products which has the antimicrobial property. The Table 1 below outlines key effects of, *Lactobacillus species*.

Table 1 Health Benefits of Probiotics (*Al-Yami et al., 2022*)

System/Area	Health Benefit
Digestive System Health	Supports the prevention of diarrhea and constipation.
Immune System Function	Enhances immune responses and aids in the maturation of natural antibodies.
Female Reproductive Health	Reduces the risk of vaginal infections.
Oral Health	Helps prevent oral infections by reducing harmful bacterial populations.
Mental Health	Certain <i>Lactobacillus species</i> reduce symptoms of depression.

Bifidobacterium species

Bifidobacterium are gram positive species, respire in anaerobic condition (Poupard et al. 1973). These bacteria enhance the gut barrier, increase the immune system, and decrease the pathogen by producing inhibitor biochemical(Ashraf & Shah 2014). These bacteria are found the in the colon region of the

intestine of the young children, and yogurt (Wieërs et al. 2020)t. These bacteria have role in balancing the bacteria which lives in the intestine by neutralizing the harmful bacteria, (Tojo et al. 2014) increasing the nutrition absorption in the in the small intestine, boosting up the immune system, and kill the damaging bacteria. The Table 2 below outlines key effects of, *Bifidobacterium species*.

Table 2 Common *Bifidobacterium Species* and Their Health Benefits (*Derrien et al., 2022*)

Species	Description
<i>Bifidobacterium longum</i>	Helps prevent diarrhea and allergies; reduces the risk of constipation.
<i>Bifidobacterium bifidum</i>	Strengthens the epithelial barrier in the small intestine to block pathogen entry into the bloodstream.
<i>Bifidobacterium breve</i>	Aids in preventing diarrhea and allergic reactions.
<i>Bifidobacterium infantis</i>	Reduces gut infections and supports intestinal health.
<i>Bifidobacterium adolescentis</i>	Assists in the digestion of dairy products.
<i>Bifidobacterium lactis</i>	Enhances immune system responses.

Saccharomyces boulardii

The *Saccharomyces* species was first discovered by Henri Boulard in 1920. These are the yeast species rather than the bacteria, these probiotics required oxygen for its survival this

yeast specie is found in fruit peels. This probiotics is used for the prevention of diarrhea (Vandenplas et al. 2009). The Table 3 below outlines key effects of *Saccharomyces boulardii* specie.

Table 3 Probiotic Benefits in Gastrointestinal Health (Kelesidis & Pothoulakis, 2012)

Benefit	Description
Prevention of digestive diseases	Helps prevent antibiotic-associated diarrhea.
Prevention of <i>Clostridium difficile</i> infection	Reduces the risk of <i>C. difficile</i> infection.
Enhancement of gut barrier	Strengthens the gastrointestinal lining, preventing pathogen entry into the bloodstream.
Reduction of inflammatory responses	Decreases inflammation in the gut.
Microbiota balance in the GI tract	Supports the maintenance of a healthy gut microbiota.
Antibiotic-like effect	Produces antimicrobial proteins that inhibit pathogenic organisms.

Streptococcus thermophiles

Streptococcus thermophiles are gram positive bacteria producing lactic acid commonly used in milk products. They are naturally found in the milk but it can be also colonized artificially in human gastrointestinal tract which help in the

lactase digestion by producing lactase enzyme (Gaughran 1947). This probiotics are common used in the fermentation of the milk into yogurt (Hutkins & Morris 1987)(Chaves et al. 2002). The Table 4 below outlines key effects of *Streptococcus thermophiles* specie.

Table 4 Health Benefits of Probiotics in Gut and Immune Function (Tarrach et al., 2018)

Benefit	Description
Lactose digestion support	Produces the enzyme β -galactosidase, aiding in the digestion of dairy products.
Gut health maintenance	Helps sustain a healthy gastrointestinal microbiota.
Immune system enhancement	Stimulates proteins involved in immune system regulation.
Improvement of intestinal barrier	Strengthens the gut epithelial cells, enhancing the intestinal barrier.
Gut microbiota balance	Aids in maintaining the balance of gut microbial populations.

Enterococcus faecium

Enterococcus faecium is a gram positive respire in facultative anaerobic respiration condition (Shehata et al. 2020). Some strain of this bacterium is used as probiotics because their effects on the epithelial of gastrointestinal tract, this bacterium found in the gastrointestinal tract of

human being and animals, these bacteria have high tolerance in the environment where it live, this bacterium is involved in the production of lactic acid (Selim et al. 2021). The Table 5 below outlines key effects of *Enterococcus faecium* specie.

Table 5 Probiotic Benefits in Digestive and Immune Health (*Mansour et al., 2014*)

Benefit	Description
Maintenance of gut health	Improves digestion and overall gut function.
Diarrhea treatment	Reduces pathogenic diarrhea.
Enhanced immune response	Stimulates the body's immune responses.
Antimicrobial activity	Produces compounds that inhibit the growth of pathogens.
Improved nutrient absorption	Increases nutrient uptake in the gastrointestinal tract.
Reduction of inflammation	Decreases inflammatory responses in the body.

Bacillus species

These are rod shaped gram positive bacteria, these bacteria found in soil, water, and in oil well, and gastrointestinal tract of the human being and animals (Schallmey et al. 2004). This bacteria is used as probiotics because it can

survive in harsh condition(Cutting 2011), these probiotics are involved in the production of many enzymes which helps in the digestion, enhances the immune responses, and gut health (Wieërs et al. 2020). The Table 6 below outlines key effects of *Bacillus* specie.

Table 6 Health Benefits of Common *Bacillus* Species (*Jezewska-Frąckowiak et al., 2018*)

Species	Benefits
<i>Bacillus subtilis</i>	Maintains gut health and produces enzymes that aid in digestion.
<i>Bacillus coagulans</i>	Enhances immune responses.
<i>Bacillus clausii</i>	Helps prevent diarrhea.
<i>Bacillus indicus</i>	Supports the maintenance of gut epithelial cells.
<i>Bacillus licheniformis</i>	Improves the digestion process.

Escherichia coli Nissle

Escherichia coli nissle first discovered by Dr.Alfred Nissle in 1917 during world war first, from the soldier who was infected by the bacteria, this bacterium is considered one of the beneficial bacteria, and used in the as probiotics

for the improvement in human health (Falzone et al. 2024), these bacteria bind to the epithelium of the intestine improving the gut health. The Table 7 below outlines key effects of *Escherichia coli Nissle* specie

Table 7 General Health Benefits of Probiotics (*Łubkowska et al., 2023*)

Benefit	Description
Gastrointestinal tract health	Helps balance and maintain the gastrointestinal microbiota.
Pathogen control	Inhibits and destroys pathogenic bacteria.
Immune system enhancement	Regulates and strengthens the immune response.
Diarrhea treatment	Reduces the risk and severity of diarrhea-related infections.
Vitamin production	Produces essential vitamins such as vitamin K and B-complex.
Fatty acid production	Supports the synthesis of beneficial fatty acids.

Mechanism of working of probiotics

Adhesion to the wall of intestine

Probiotics microorganisms get attached with the wall of intestine of the host by cell surface protein of the epithelial cells or use of the pili for the attachment to the wall of the intestine, some other probiotic bacteria use mucus binding protein which helps in the attachment even some other probiotic bacteria use sortase enzyme for the attachment to the wall of intestine. This attachment is helpful in exerting local effects in intestine (Wahlqvist et al. 2006)(Ummah 2019).

Competition with pathogen

After the getting attached with the epithelial tissue of the intestine make colony in intestine which inhibit the colonization of the pathogens in intestine, this is phenomenon is known as competitive exclusion which usually prevents the infections of E. coli.(Liverani et al. 2013). Probiotics also compete with pathogenic bacteria for nutrition which reduces the chances of colonization of the pathogenic bacteria still other probiotic bacteria produce antimicrobial substances which inhibit the growth of pathogenic bacteria.

Increases the barrier of the intestine

Probiotic microorganisms after getting attach with the tight junction protein increases the epithelial tissue tight junctions which decreases the absorption of the toxins and pathogens into blood stream(Zhang et al. 2020)(Bron et al. 2017). Some other probiotic bacteria increase the production of the mucus from goblet cells of the intestine which increase the barriers for the pathogenic bacteria.

Incensement in the immune response

Probiotics enhance the innate immunity helping in the activity of macrophages and dendritic cells which are involves in the first line of the defense(Maldonado Galdeano et al. 2019)(Oliveira et al. 2024). Probiotics enhance the T- helper cells, regulatory T cells which reduce the excessive inflammatory responses. Probiotics microorganism also increases the production of the immunoglobulin –A.

Cytokine regulation some probiotics can express the expression of pro (Lescheid 2014)inflammatory cytokines regulating the inflammation(Maldonado Galdeano & Perdigón 2006) .

Antimicrobial Production

The probiotic microorganism produce some compounds which includes bacitracin, and Organic acids which lower the gut PH which inhibit the growth of the pathogenic bacteria, while bacitracin inhibits the growth of the same bacterial strain in small intestine (Denkova et al. 2016)(Gou et al. 2022). Nicin is chemical produced by lactobacillus which is antibacterial of gram positive bacteria, Reuterin is produced by other bacteria which are antimicrobial for gram positive, gram negative, yeast and protozoan species.

Production of Hydrogen Peroxide

Hydrogen peroxide produced by different metabolic pathways e.g pyruvate oxidase activity which has antimicrobial properties by damaging the cellular organelles and DNA of the pathogenic bacteria, in the presence of the of the enzymes and other biochemical the hydrogen peroxide increases overall the antimicrobial activities. (Zalán et al. 2005)(Gray 2019).


Metabolic Contributions

Probiotics also helps in the productions of vitamin -B group and vitamin –K which contributes the host nutrition(Salman & Mauriello 2023).Some other probiotic produces bile and some enzymes which increases the digestion of the lipids, Some other probiotic bacteria stimulating the appetite by secreting certain biochemical.

Detoxification

Certain probiotics strain neutralize the baneful compounds which includes heavy metals, carcinogens, mycotoxins, by binding with them thus reduce the rate of absorption into blood stream (Elsanhoty et al.) (Ansari et al. 2024) some others probiotic bacteria degrade the poisonous biochemical thus reducing the toxicity.

MECHANISMS OF ACTION OF PROBIOTICS



Conclusion and future directions

Probiotics have risen as component which help in the maintenance and support human and animals' health in all over the globe. Probiotics have the ability to restore the gastrointestinal micro biota, increases the immune system responses and prevent the pathogen growth. Extensive research knowledge of the research

shows that probiotic microorganism's help in the managing gastrointestinal tract diseases, prevent infections, maintain metabolism and even neurobehavioral health. These finding is focus on the important role of probiotics in diseases management. In spite of the progress have been made in the utilization of the probiotics for human being health still some

problems are unsolved to utilized the full clinical benefits of the probiotics, one of the major problem is that strain specific nature of the probiotic effects, which complicates the generalization and require identification and characterization of each strain, moreover variation in the genetic makeup, age, diet , temperature ,and the population of the existing micro biota of the host individual effects the potential of the probiotics. The absence of the of standardized regulatory system, variability in the quality of the product, and discrepancies between the labeled and actual microorganism content in commercial probiotic formulation further complicate their clinical use.

Looking forward future research should be made on addressing these challenges through different strategic angles. Detail studies are necessary to evaluate that how a specific probiotic microorganism interact with tissue of the host. Personalized probiotics therapies should be made for specific individual micro biome profiles can be increase the potential and results, especially in complicated diseases. Advanced technologies should be involved such as met genomics, transcriptomics in research probiotics research to understand the probiotic and host interaction, and identify the benefits. Additionally the discovery of synbiotics, postbiotics and genetically modified probiotics opens exiting new avenues for enhancing therapeutic applications.

Acknowledgment

We would like to express our sincere gratitude to Dr. Fayyaz Rasool for his support in preparation of our review article. His insightful expertise in the field significantly contributed to the depth and quality of our work.

References:

Al-Yami AM, Al-Mousa AT, Al-Otaibi SA, Khalifa AY 2022. Lactobacillus Species as Probiotics: Isolation Sources and Health Benefits. *J. Pure Appl. Microbiol.* 16: 2270–2291.

Amara AA, Shibl A 2015. Role of Probiotics in health improvement, infection control and

disease treatment and management. *Saudi Pharm. J.* 23: 107–114.

Ansari F, Lee CC, Rashidimehr A, Eskandari S, Ashaolu TJ, Mirzakhani E, Pourjafar H, Jafari SM 2024. The role of probiotics in improving food safety; detoxification of heavy metals and chemicals. *Toxin Rev.* 43: 63–91.

Anukam KC, Reid G 2008. Probiotics: 100 years (1907-2007) after Elie Metchnikoff's Observation Brief history of Elie Metchnikoff. *Commun. Curr. Res. Educ. Top. Trends Appl. Microbiol. A. Méndez-Vilas:* 466–474.

Araújo EA, Clarissa A, Soares M, Jan G, Carvahlo AF De, Araújo EA, Clarissa A, Pinto MS, Jan G, Araújo EA, Clarissa A 2020. Probiotics in Dairy Fermented Products To cite this version : HAL Id : hal-01454536 Probiotics in Dairy Fermented Products.

Ashraf R, Shah NP 2014. Immune System Stimulation by Probiotic Microorganisms. *Crit. Rev. Food Sci. Nutr.* 54: 938–956.

Bezkorovainy A 2018. Bezkorovainy2001. 73: 399–405.

Bron PA, Kleerebezem M, Brummer RJ, Cani PD, Mercenier A, MacDonald TT, Garcia-Ródenas CL, Wells JM 2017. Can probiotics modulate human disease by impacting intestinal barrier function? *Br. J. Nutr.* 117: 93–107.

Brzozowski T *NEW ADVANCES IN THE BASIC AND CLINICAL Edited by Tomasz Brzozowski.*

Chaves ACS, Fernandez M, Lerayer ALS, Mierau I, Kleerebezem M, Hugenholtz J 2002. Metabolic engineering of acetaldehyde production by *Streptococcus thermophilus*. *Appl. Environ. Microbiol.* 68: 5656–5662.

Cutting SM 2011. Bacillus probiotics. *Food Microbiol.* 28: 214–220.

Denkova R, Goranov B, Programs DT-..., Ed.; 1st, 2017 U 2016. Antimicrobial activity of probiotic microorganisms: Mechanisms of interaction and methods of examination. *Researchgate.Net* 10: proof.

Derrien M, Turrone F, Ventura M, Sinderen D van 2022. Insights into endogenous Bifidobacterium species in the human gut microbiota during adulthood. *Trends Microbiol.* 30: 940–947.

- Ebner S, Smug LN, Kneifel W, Salminen SJ, Sanders ME 2014. Probiotics in dietary guidelines and clinical recommendations outside the European Union. *World J. Gastroenterol.* 20: 16095–16100.
- Elsanhoty RM, Ahmed S, Fawzy M Author ' s personal copy Detoxification of aflatoxin M1 in yoghurt using probiotics and lactic acid bacteria.
- Falzone L, Lavoro A, Candido S, Salmeri M, Zanghì A, Libra M 2024. Benefits and concerns of probiotics: an overview of the potential genotoxicity of the colibactin-producing *Escherichia coli* Nissle 1917 strain. *Gut Microbes* 16.
- Ganjbakhsh SE 2017. The Effect of Probiotics on Immune System. *J. Bacteriol. Mycol. Open Access* 5: 3–5.
- Gaughran ER 1947. the Thermophilic Microorganisms. *Bacteriol. Rev.* 11: 189–225.
- Gogineni VK 2013. Probiotics: History and Evolution. *J. Anc. Dis. Prev. Remedies* 01: 1–7.
- Gou HZ, Zhang YL, Ren LF, Li ZJ, Zhang L 2022. How do intestinal probiotics restore the intestinal barrier? *Front. Microbiol.* 13: 1–11.
- Gray MJ 2019. Acid by the Probiotic Bacterium *Lactobacillus reuteri*. 4: 1–17.
- Hutkins RW, Morris HA 1987. Carbohydrate Metabolism by *Streptococcus thermophilus*: A Review. *J. Food Prot.* 50: 876–884.
- Iqbal MZ, Qadir MI, Hussain T, Janbaz KH, Khan YH, Ahmad B 2014. Review: probiotics and their beneficial effects against various diseases. *Pak. J. Pharm. Sci.* 27: 405–415.
- Jankovic I, Sybesma W, Phothirath P, Ananta E, Mercenier A 2010. Application of probiotics in food products-challenges and new approaches. *Curr. Opin. Biotechnol.* 21: 175–181.
- Jeżewska-Frąckowiak J, Seroczynska K, Banaszczyk J, Jedrzejczak G, Zylicz-Stachula A, Skowron PM 2018. The promises and risks of probiotic *Bacillus* species. *Acta Biochim. Pol.* 65: 509–519.
- Kelesidis T, Pothoulakis C 2012. Efficacy and safety of the probiotic *Saccharomyces boulardii* for the prevention and therapy of gastrointestinal disorders. *Therap. Adv. Gastroenterol.* 5: 111–125.
- Kullar R, Goldstein EJC, Johnson S, McFarland L V. 2023. *Lactobacillus* Bacteremia and Probiotics: A Review. *Microorganisms* 11: 1–14.
- Lescheid DW 2014. Probiotics as regulators of inflammation: A review. *Funct. Foods Heal. Dis.* 4: 299–311.
- Liverani M, Waage J, Barnett T, Pfeiffer DU, Rushton J, Rudge JW, Loevinsohn ME, Scoones I, Smith RD, Cooper BS, White LJ, Goh S, Horby P, Wren B, Gundogdu O, Woods A, Coker RJ 2013. Understanding and managing zoonotic risk in the new livestock industries. *Environ. Health Perspect.* 121: 873–877.
- Łubkowska B, Jeżewska-Frąckowiak J, Sroczynski M, Dzitkowska-Zabielska M, Bojarczuk A, Skowron PM, Cięszczyk P 2023. Analysis of Industrial *Bacillus* Species as Potential Probiotics for Dietary Supplements. *Microorganisms* 11.
- Maldonado Galdeano C, Cazorla SI, Lemme Dumit JM, Vélez E, Perdígón G 2019. Beneficial effects of probiotic consumption on the immune system. *Ann. Nutr. Metab.* 74: 115–124.
- Maldonado Galdeano C, Perdígón G 2006. The probiotic bacterium *Lactobacillus casei* induces activation of the gut mucosal immune system through innate immunity. *Clin. Vaccine Immunol.* 13: 219–226.
- Mansour NM, Heine H, Abdou SM, Shenana ME, Zakaria MK, El-Diwany A 2014. Isolation of *Enterococcus faecium* NM113, *Enterococcus faecium* NM213 and *Lactobacillus casei* NM512 as novel probiotics with immunomodulatory properties. *Microbiol. Immunol.* 58: 559–569.
- Ng EW, Yeung M, Tong PS 2011. Effects of yogurt starter cultures on the survival of *Lactobacillus acidophilus*. *Int. J. Food Microbiol.* 145: 169–175.
- Oliveira DA, César PHS, Marcussi S 2024. Modulating Action of Aromatic Plants and

- Probiotics on Enzyme Activity. *Interfaces Científicas - Saúde e Ambient.* 9: 524–552.
- Podolsky SH 2012. Metchnikoff and the microbiome. *Lancet* 380: 1810–1811.
- Poupard JA, Husain I, Norris RF 1973. Biology of the bifidobacteria. *Bacteriol. Rev.* 37: 136–165.
- Reid G, Gadir AA, Dhir R 2019. Probiotics: Reiterating what they are and what they are not. *Front. Microbiol.* 10: 1–6.
- Salman MK, Mauriello G 2023. Special Issue “Probiotics and Their Metabolism”: Editorial. *Microorganisms* 11: 10–11.
- Schallmey M, Singh A, Ward OP 2004. Developments in the use of Bacillus species for industrial production. *Can. J. Microbiol.* 50: 1–17.
- Selim MT, Salem SS, Fouda A, El-Gamal MS, Abdel-Rahman MA 2021. Use of corn-steep water effluent as a promising substrate for lactic acid production by enterococcus faecium strain wh51-1. *Fermentation* 7: 1–18.
- Shehata AA, Tarabees R, Basiouni S, ElSayed MS, Gaballah A, Krueger M 2020. Effect of a Potential Probiotic Candidate Enterococcus faecalis-1 on Growth Performance, Intestinal Microbiota, and Immune Response of Commercial Broiler Chickens. *Probiotics Antimicrob. Proteins* 12: 451–460.
- Sherman PM, Ossa JC, Johnson-Henry K 2009. Invited review: Unraveling mechanisms of action of probiotics. *Nutr. Clin. Pract.* 24: 10–14.
- Stavropoulou E, Bezirtzoglou E 2020. Probiotics in Medicine: A Long Debate. *Front. Immunol.* 11: 1–20.
- Su GL, Ko CW, Bercik P, Falck-Ytter Y, Sultan S, Weizman A V., Morgan RL 2020. AGA Clinical Practice Guidelines on the Role of Probiotics in the Management of Gastrointestinal Disorders. *Gastroenterology* 159: 697–705.
- Tamime AY 2002. Fermented milks: A historical food with modern applications—a review. *Eur. J. Clin. Nutr.* 56: S2–S15.
- Tarrach A, Castilhos J De, Rossi RC, Silva Duarte V Da, Ziegler DR, Corich V, Giacomini A 2018. In vitro probiotic potential and anti-cancer activity of newly isolated folate-producing streptococcus thermophilus strains. *Front. Microbiol.* 9: 1–11.
- Tojo R, Suárez A, Clemente MG, Los Reyes-Gavilán CG De, Margolles A, Gueimonde M, Ruas-Madiedo P 2014. Intestinal microbiota in health and disease: Role of bifidobacteria in gut homeostasis. *World J. Gastroenterol.* 20: 15163–15176.
- Tripathi MK, Giri SK 2014. Probiotic functional foods: Survival of probiotics during processing and storage. *J. Funct. Foods* 9: 225–241.
- Ummah MS 2019. *No 主観的健康感を中心とした在宅高齢者における健康関連指標に関する共分散構造分析 Title.*
- Vandenplas Y, Brunser O, Szajewska H 2009. Saccharomyces boulardii in childhood (European Journal of Pediatrics (2009 March) 168:3 (253-65) DOI: 10.1007/s00431-008-0879-7). *Eur. J. Pediatr.* 168: 637.
- Vinderola G, Gueimonde M, Gomez-Gallego C, Delfederico L, Salminen S 2017. Correlation between in vitro and in vivo assays in selection of probiotics from traditional species of bacteria. *Trends Food Sci. Technol.* 68: 83–90.
- Wahlqvist M, Okada A, Li D 2006. *Asia Pacific.*
- Wieërs G, Belkhir L, Enaud R, Leclercq S, Philippart de Foy JM, Dequenne I, Timary P de, Cani PD 2020. How Probiotics Affect the Microbiota. *Front. Cell. Infect. Microbiol.* 9.
- Yousefi B, Eslami M, Ghasemian A, Sadeghnejhad A, Reports G, Eslami M, Ghasemian A, Reports G 2019. Accepted Manuscript.
- Zalán Z, Németh E, Baráth Á, Halász A 2005. Influence of growth medium on hydrogen peroxide and bacteriocin production of lactobacillus strains. *Food Technol. Biotechnol.* 43: 219–225.
- Zhang X, Zhang Y, Zhang Q, Liu P, Guo R, Jin S, Liu J, Chen L, Ma Z, Ying L 2020. Evaluation and analysis of water quality of marine aquaculture area. *Int. J. Environ. Res. Public Health* 17: 1–15.